



Car and Truck Tyre bead Removal

Evashred Tyre Debeader

Performance Characteristics:

7.5 Kw/10Hp maximum Power

30 Seconds Pulling Stroke

Special Design Bead Slot With Quick Release Cross Plate

Hydraulic Bead Clamp

44 Tons Pulling Strength

Adjustable Stroke Length

Steel Caster Load Transfer Carriage

Safety Caging

Simple Push Button Controls



Specifications are subject to change without notice. Contact your nearest distributor/ agent for up-to-date specifications prior to purchase.

Evashred Tyre Debeader

TECHNICAL SPECIFICATIONS:



Physical Dimensions:

Total Height	1730mm
Without Front Cage	1200mm
Total Length	2900mm
Without Front Cage	2520mm
Total Width	1500mm
Without Front Cage	1070mm
Total Weight	1550KG



Product Name:	Evashred Car & Truck Tyre Debeader Machine
Number of Motors	1 x 7.5KW (10 HP) 3 Phase 415 Volts
Base Construction	Folded Tread Plate
Carriage Construction	10mm Plate Body, Steel Casters with Sealed Bearings
Carriage Travel	150mm I-Beam Section Welded to Base
Pulling Plate	30mm Thick Steel Gates
Main Hydraulic Ram	100mm OD Single Stage Return Cylinder
Stroke Length	1300mm Adjustable
Total Height	1730mm With Front Cage In Place
Floor Footprint Dimensions	2520mm x 1070mm
Weight	1550KG
Capacity/Throughput Rate	Up To 60 Beads Per Hour*
Pulling Strength	44 Ton (Maximum Capacity)
Quick Release Anvil Plate	For Car And Truck Tyres

*Estimate Based on Heavy Duty Tyres Sampled Locally

Specifications are subject to change without notice. Contact your nearest distributor/ agent for up-to-date specifications prior to purchase.